


1.2 Siatka: Mountain Plot

Grid : Siatka at Z = 0.80 m
Calculation : Surface illuminance (lux)
Result Type : Total



Average
401

Minimum
298

Maximum
482


Min/Ave
0.74

Project new value factor
1.30

1. Calculation Results

1.1 Siatka: Iso Contour

Grid : Siatka at Z = 0.80 m
 Calculation : Surface Illuminance (lux)
 Result Type : Total



Average
401

Minimum
298

Maximum
482


Min/Ave
0.74

Project new value factor
1.30

Scale
1:50

1.2 Siatka: Mountain Plot

Grid : lawki uczniow at Z = 0.80 m
Calculation : Surface Illuminance (lux)
Result Type : Total



Average
580

Minimum
403

Maximum
668


Min/Ave
0.69

Project new value factor
1.25

1. Calculation Results

1.1 Siatka: Iso Contour

Grid : lawki uczniow at Z = 0.80 m
 Calculation : Surface Illuminance (lux)
 Result Type : Total



Average
580

Minimum
403

Maximum
668


Min/Ave
0.69

Project new value factor
1.25

Scale
1:50

1.2 Siatka: Mountain Plot

Grid : lawki uczniow at Z = 0.80 m
Calculation : Surface Illuminance (lux)
Result Type : Total



Average
541

Minimum
410

Maximum
617

Min/Ave
0.76

Project new value factor
1.25